EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3399	medical and imaging and patient with (throughput efficient efficiency)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:41
L2	968	medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:41
L3	26	medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) same input\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:41
L4	396	medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and second with (patient scan)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:42
L5	41	medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) same second with (patient scan)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:42
L6	14	("4105923" "4131802" "4688278" "4727328" "4914682").PN. OR ("5259011").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:43
L7	1111	medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and scan near2 (parameter data prescription)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:46
L8	66	medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and scan near2 (parameter data prescription) and second with (scan patient)	US PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:47

L9	3	("5018178" "5848126" "6173031").PN. OR ("6522713").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:48
L10	48	medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient efficiency) and scan near2 (parameter data prescription) and second with (scan patient)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:51
L12	53	medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient efficiency) and scan near2 (parameter data prescription) and (second next) with (scan patient)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:56
L13	17	medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient) efficiency) and scan near2 (parameter data prescription) same (second next) with (scan patient)	US-PGPUB; USPAT; USOCR	MOR	ON	2009/08/02 04:56
L14	4	medical and imaging and patient with (reduc\$3 improv\$3) near2 (throughput efficient) efficiency) and scan near2 (parameter data prescription) same (second next) adj (scan patient)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 04:58
L17	30	(US-20040073453-\$ or US- 20050114181-\$ or US- 20040249676-\$ or US- 20020099571-\$ or US- 20040138925-\$ or US- 20040138925-\$ or US- 20030179245-\$ or US- 20030093296-\$ or US- 20050020898-\$ or US- 20050020898-\$ or US- 20050020898-\$ or US- 20050020898-\$ or US- 5050964-\$ or US- 5629927-\$ or US-5525905-\$ \$ or US-5490513-\$ or US- 4668915-\$ or US- 566970-\$ \$ or US-5259011-\$ or US-	US-PGPUB; USPAT; DEFIWENT	OR	ON	2009/08/02 05:02

		6522713-\$), did. or (WO- 2004049908-\$ or US- 20050114181-\$ or US- 20040249676-\$ or WO- 200256151-\$ or US- 20040138925-\$ or US- 20030179245-\$ or DE- 10149482-\$ or US- 2002099571-\$ or EP- 1182613-\$ or WO- 200231743-\$ or US- 5623927-\$ or EP-712606-\$ \$ or NI-6505064-\$), did.				
L18	16	17 and (simultaneous\$2 during while) with (scan \$4 patient imag\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/02 05:03
L19	28	("4567894" "4727328" "5178146").PN. OR ("5525905").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:15
L20	2	(17 19 18 378/209.ccls.) and (input\$4 enter\$3) with (scan protocol) with (simultaneous\$2 during while)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:22
L21	7	(17 19 18 378/209.cds.) and (input\$4 enter\$3) with (scan imag\$3 protocol) with (simultaneous\$2 during while)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:23
L22	213	"600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:25
L23	0	"600".das. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and patient adj throughput	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:25
L24	0	"600".das. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and patient with throughput	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:25

L25	122	"600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and (subject patient) with (throughput time efficien\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:26
L26	16	"600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) same (subject patient) with (throughput time efficien\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:26
L27	122	"600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) and (subject patient) with (throughput time efficien\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:28
L28	13	"600".clas. and (input\$4 enter\$3) near2 (scan imag \$3 protocol) with (simultaneous\$2 during while) with second and (subject patient) with (throughput time efficien \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:28
L29	448	(HIS hospital adj information) and (input\$3 enter\$3) with data with scan\$3 with (during while simultaneous\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:30
L30	238	(HIS hospital adj information) and imag\$3 and (input\$3 enter\$3) with data with scan\$3 with (during while simultaneous\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:31
L31	8	(HIS hospital adj information) and imag\$3 and (input\$3 enter\$3) with data with scan\$3 with (during while simultaneous\$3) with patient	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:31
L32	3895	705/2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:41
L33	9769	705/1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:42

L34	24	(32 33) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and second with (patient scan)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:42
L35	45	(32 33) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient) and (follow\$3 subsequent next second) with (patient scan)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:44
L36	31	(32 33) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (follow\$3 subsequent next second) with (patient scan) and list	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:44
L37	27	(32 33) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (follow\$3 subsequent next second) with (patient scan) and scan	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:46
L38	16	(32 33) and medical and imaging and patient with (reduc\$\$ improv\$3) with (throughput efficient) and (follow\$3 subsequent next second) with (patient scan) and scan with data protocol parameter)	US-PCPUB; USPAT; USOCR	OR	ON	2009/08/02 05:47
L39	5	(32 33) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient) efficiency) and (follow\$3 subsequent next second) with (patient scan) same scan with (data protocol parameter)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:47

L40	0	(32 33) and medical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient) and (simultaneous\$3 while during) with (follow\$3 subsequent next second) with (patient scan) same scan with (data protocol parameter)	US-POPUB; USPAT; USOCR	OR		2009/08/02 05:49
L41	19	medical and imaging and patient with (reduc\$3 improv\$3) with ((throughput efficient) efficiency) and (simultaneous\$3 while during) with (follow\$3 subsequent next second) with (patient scan) same scan with (data protocol parameter)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:49
L42	333	imedical and imaging and patient with (reduc\$3 improv\$3) with (throughput efficient efficiency) and (simultaneous\$3 while during) with (follow\$3 subsequent next second) with (patient scan) same (imag\$3 scan) with (data protocol parameter configurat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:50
L43	22	("4671256" "4791934" "5490297" "5490513" "5499415" "5525905" "5537452" "5586262" "5748700").PN. OR ("5842987").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 05:51
L45	193	(32 33) and triage	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:24
L46	33	(32 33) and triage same list	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:24
L47	9	(32 33) and triage same list and scan	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:25
L48	4	(32 33 "600".clas.) and triage same list same scan \$4	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:26

L49	241	(diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) and list	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:29
L50	6	(diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) with list	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:29
L51	170	(diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) and next with patient	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:30
L52	133	(diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) and next with patient and scan\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:30
L53	141	(diagnostic medical) with (imag\$3 scan\$4) same patient with (flow efficien \$4 throughput) and next with patient and scan\$4	US-PGPUB; USPAT; USOCR	OR	ON	2009/08/02 07:30
S1	27	"705".CLAS. and multiple near patient and (scan image imaging scanning) with (configuration configuring parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/21 21:20
\$2	25	[("2002009571") or ("5623927") or ("5525905") or ("5525905") or ("505064") or ("20040073453") or ("20030179245") or ("20030179245") or ("20050114181") or ("20050114181") or ("20040138925") or ("200401365")).PN.	US POPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/21 21:21

SS	25	(US-20050114181-\$ or US- 20040219676-\$ or US- 20040138925-\$ or US- 20040114714-\$ or US- 200400138453-\$ or US- 20030093296-\$ or US- 20030093296-\$ or US- 200300179245-\$ or US- 200200991765-\$), did. or (US-5525905-\$ or US- 5655064-\$ or US-5623927- \$), did. or (NL-6505064-\$ or US- 20050114181-\$ or US- 20040138925-\$ or US- 20040138925-\$ or US- 20040139925-\$ or US- 20030179245-\$ or US- 2003017925-\$ or US- 20030179245-\$ or US- 20030179245-\$ or US- 20030179245-\$ or US- 2003017925-\$ or US-	US-PATUB; USPAT; DERWENT	OR	OFF	2008/01/21
S4	1	S2 and input\$3 same (scan scanning image imaging) with (configuration configuring parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/21 21:28
S5	6	S2 and (scan scanning image imaging) with (configuration configuring parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/21 21:31
S6	3	S2 and (scan scanning image imaging) with (configuration configuring parameter) and (while during) with (patient scan scanning imaging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/21 21:34
S7	250	705/2.ccls. and (enter\$3 input inputting) same ((scan scanning image imaging) with (configuration configuring parameter) data) same (while during) with (patient scan scanning imaging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OX	2008/01/21 22:08

S8	1123	705/2.cols. and (enter\$3 input input input ing) same ((scan scanning image imaging) with (configuration configuring parameter) data) with (while during) with (patient scan scanning imaging)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	MOR	oron	2008/01/21 21:38
S9	32	705/2.cds. and (enter\$3 input inputting) same ((scan scanning image imaging) with (configuration configuring parameter) data) with (while during) with (patient scan scanning imaging) and multiple near patient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/21 21:38
S10	15	("4608991" "4629989" "464275" "4668915" "4691163" "4770182" "4885540" "4920318" "5024229" "5197474" "5416413" "5490513"). PN. OR ("5623927"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/21 22:00
S11	37	("4070611" "4165479" "4506222" "4528510" "4591789").PN. OR ("4668915").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/21 22:07
S12	0	S11 and (enter\$3 input imputting configur\$3) with scan near protocol	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/21 22:08
S13	0	S11 and (enter\$3 input imputting configur\$3) with scan near protocol	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/21 22:08
S14	0	705/2.ccls. and (creat\$3 enter\$3 input imputting configur\$3) with scan near protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/01/21 22:08
S15	37	("4070611" "4165479" "4506222" "4528510" "4591789").PN. OR ("4668915").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/21 22:10
S16	3	VOSNI AK.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/01/22 08:01

The same	S17	2	("6500141").PN.	US-PGPUB;	OR	OFF	2008/03/11
000				USPAT;			14:14
100				USOCR; EPO;			
O.O.				JPO; DERWENT			

EAST Search History (Interference)

<This search history is empty>

8/2/2009 7:31:16 AM

C:\ Documents and Settings\ eweatherby\ My Documents\ EAST\ Workspaces\ 10616353.wsp